# MINI CI GUIDELINES. Updated: 10/22





## **TYPOGRAPHY**

#### **POSITION**

# TEXT IS SET EXCLUSIVELY FLUSH LEFT AND RAGGED...

Centered text is never permitted!

OR RIGHT AND RAGGED.

- > Pay special attention to kerninig. Custom-made MINI font is very irregular and quite tight
- > Headlines and short leads may appear in color. Body copy always appears in black on white or white on black
- > Text is set exclusively flush left and ragged or flush right and ragged
- > Icons are used as graphical labels in communications, not standard bullets.
- > Referred to as chevrons or carrots.

  They are part of MINI Type Icon Headline font and are coordinated with the typography.

Model I.D. never stands alone.





Headlines/Titles MINITYPE HEADLINE

**ABCDEFGHIJKLMNOPQRSTUVWXYZ** 

1234567890.,!,,"\$\$%&/00?`\*'\_:;

Subheads and accentuations MINI Type Bold

abcdefghijklmnopqrstuvwxyz 1234567890.,!,,"§\$%&/()0?´\*'\_:;

Copy, captions, margin notes, MINI Type Regular charts and tables abcdefabiiklmnone

abcdefghijklmnopqrstuvwxyz 1234567890.,!,,"§\$%&/()0?´\*'\_:;

## MINI WINGS LOGO



2-D logo: OOH only. or certain print/gear applications.



1-color logo: for single color applications only.



3-D logo: All other communications.

### **CLEAR SPACE**

There must be a defined minimum space all around the logo, separating it from other design elements which is half the height of the wings. Always 3-D and chrome and black (please refer to MINI Identity Net Part 1). Only 1 logo per ad and never used within body copy or as a substitution for the wordmark.





Certified Pre-Owned should not be used without the mention of MINI Next.




#### **CLEAR SPACE**


There must be a defined minimum space all around the logo, separating it from other design elements which is the character width of the "M" in the MINI Next logo.

# **WORDMARK AND LOGO PLACEMENT**

- > Always use ALL CAPS for MINI
- > MINI is never italicized

No other logotypes or symbols.





MINI wordmark always in ALL CAPS.





No hyphenation




MINI-Service MIN'-SERVICE




If possible, align the top of the MINI logo wings with the top of the headline.




Symbol: Asymmetrical, never centered.





# LOGO PLACEMENT (CONT'D)

Symbol: Not framed too closely.



Symbol: Do not combine with claim/URL.



Never alter the MINI logo or or use the logo to accompany type or copy.



## MINI STYLE GUIDE

- > "MPG" not mpg
- > "hwy" not HWY
- > Plural: "MINI." Never, ever MINIs or even MINI's
- > Boot to Bonnet No Cost Maintenance
- Nothing ever gets set in italics in MINI publications
- MINI Cooper S Convertible, not MINI Cooper Convertible S
- > It's "MINI Cooper S Countryman ALL4," not MINI Countryman ALL4
- > Let's Motor.® or LET'S MOTOR.®
- Singular and plural references to MINI are as follows:1 MINI, 2 MINI, 3 MINI, etc.
- > Use a carat > for bullets or double carats for bullets. Use a single carat for a call to action or list
- > Copyright Notice: © 2013 MINI USA, a division of BMW of North America, LLC. The MINI name, model names and logo are registered trademarks.
- > Certain words should be capitalized when they follow MINI, such as the "d" in MINI Dealer & the "o" in MINI Owner. If dealer or owner do not follow MINI, they should stay lowercase.

## **MINI URLS**

- > MINI URLs should be in all caps and MINI should be in bold. MINIUSA.COM
- > MINI Dealer URLs should be in all caps and MINI should be in bold. ANYTOWNMINI.COM

## **BRAND QUICK HITS**

#### **MINI SPEAK**

- > Trunk = boot
- > Hood = bonnet
- > MINI tagline = Let's Motor®
- > Brand = MINI

#### MINI DESCRIBED

- A feisty way to move through an increasingly conventional world
- > A challenger; somewhat of an underdog
- > An instigator of optimism; makes people smile
- > Approachable, creative, individualistic
- Is like a friend or trusty sidekick—many people name their MINI
- > It's not about getting from Point A to Point B; it's a fun escape from the daily grind
- > Normal is average; MINI is NOT NORMAL

#### **MINI HERITAGE**

- > Designed in England in 1959
- > A fuel-efficient, affordable car that maximizes interior space in a small package
- > Beats bigger, more expensive cars in races such as Monte Carlo and Dakar Rally
- > Pop icon in the 1960s; The Beatles, David Bowie royalty—everyone adored MINI


- > Returned to U.S. 10 years ago
- > Owned by BMW (not promoted), with most models still built in Oxford, England

#### **MINI PRODUCT**


- > 7 models: Hardtop, Convertible, Coupe, Roadster, Clubman, Countryman, Paceman
- > 3 engine types: Cooper, Cooper S and John Cooper Works
- > MINI sip fuel: 35 to 37 MPG
- Turbocharged engines (on MINI Cooper S and John Cooper Works models)
- > Transverse engine (a repositioned engine to make front of car smaller)
- Aggressive stance with wheels at corners, like a bulldog
- > Go-kart handling
- Over 10 million customization options; no two MINI are alike
- > Iconic, unique design; not referred to as "cute"

## **FRAMES**


- > The key design element
- > Frames should focus, separate, connect and structure
- > The frames can never be empty
- > Frames should match car color, be sampled from color photography or chosen from design colors for black & white arrangements
- > Frame colors: 2 colors per page maximum
- > Frames must bleed off of at least 1 edge



- > No more than 3 frames per page
- > If 2 or 3 frames are used, they touch each other on at least 1 side. They may not overlap and no space should be between the frames




> Frames can be placed inside other frames. Inner frame must come into contact with the outer frame on at least 2 sides



> Frames that touch each other must be different colors. Use only grey with a body color, or white with a body color.



Do not use a yellow frame around a full page, only around a portion of the page, being sure to leave a significant black space



## FRAME DESIGN

#### STANDARD FRAME WIDTHS

#### Online:

- > 300x250, 7 pixels
- > 728x90, 7 pixels
- **→** 160x600, 7 pixels
- **>** 468x60, 7 pixels

#### Print

- > Full page (13"x21"), 26 pts
- **>** Half page (13"x10.5"), 13.5 pts
- **>** Quarter page (6.75"x10.5"), 13.5 pts

#### OOH

- > 14x48, 18 pts @ .5"= 1'
- > 30 Sheet, 15 pts @ .5"=1'Colors

## **E-MAIL SIGNATURES**

- > 535x120 pixel size, always use template provided by Marketing Workshop or BSSP
- > If signature doesn't need legal, the creative should be cropped around the frame. Final GIF size should be: 505x65 pixels
- > If legal is needed, use legal layer within file. Indent copy three spaces before asterisks to allow breathing room from edge of email body. Then crop from top/sides and extend bottom to show legal and a little breathing space underneath.

## **COLORS**

#### **CAR COLORS**

- > When using approved artwork, frame and main design elements must sample colors from the car image (e.g., if ad pictures a Chili Red MINI, frame should also be Chili Red)
- If using artwork with multiple car colors a white or grey frame must be used
- ➤ For complete car color chart, see pages 11–13 See next page for visual reference.

#### **BRAND COLORS**

> White and dark grey can always be used as frame colors

#### **DESIGN COLORS**

- Use the design colors with black & white images, text or illustrations. When using color imagery, sample any color from image
- Design colors are for highlighting purposes and with the exception of graphics and tables, do not appear as background colors
- > For a complete design color chart, see page 14

#### **COMMUNICATION COLORS**

- Communication colors are unlimited and must emphasize/ complement image or graphic used
- > Communication colors are used with color images only



Frame color can be used to emphasize prominent color in image.




Frame color can not be arbitrary color.

#### **IMAGES**

> High contrast and surprising. Urban, young, energetic. Color or black & white. Provocative, but not aggressive. Cheeky, but not cheap

# **COLORS**



Please note that frame color should always match exterior car color.



If the asset has more than one color car in it, a grey frame should be used.

# EXTERIOR CAR COLOR FORMULAS FOR R55, R56, R57, R58 AND R59 FOR MY13

REEF BLUE*				
CMYK	100 C	89 M	50 Y	58 K
PMS	Pantone	e® 877 C		
RGB	R 6	G 24	B 52	
HEX	#06183	54		

LIGHTNING BLUE				
CMYK	100 C	60 M	0 Y	40 K
PMS	Pantone® 541 C			
RGB	R O	G 66	B 122	
HEX	#00427	'a		

BRITISH RACING GREEN II					
CMYK	95 C	33 M	85 Y	55 K	
PMS	Pant	Pantone® 3435 C			
RGB	R 2	G 71	B 49		
HEX	#024	4731			



		E LUE		
CMYK	40 C	10 M	25 Y	19 K
PMS	Pantone	e® 5497 C		
RGB	R 137	G 159	B 153	
HEX	#899f9	9		

		/HITE ILVER		
CMYK	2 C	2 M	2 Y	3 K
PMS	Cool Gre	ey 2		
RGB	R 238	G 237	B 236	
HEX	#edece	С		

PEPPER WHITE					
CMYK	9 C	9 M	15 Y	0 K	
PMS	Pantone	e® Warm G	ray 1 C		
RGB	R 230	G 223	B 211		
HEX	#e6dfd	3			

		SPICE ORANGE		
CMYK	0 C	87 M	100 Y	35 K
PMS	Pante	one® 484 C		
RGB	R 15	2 G 50	B 34	
HEX	#983	3222		

HIGHCLASS GRAY**					
CMYK	90 C	80 M	70 Y	16 K	
PMS	N/A				
RGB	R 56	G 68	B 77		
HEX	#384	44d			

MIDNIGHT BLACK					
CMYK	20 C	10 M	10 Y	90 K	
PMS	n/a				
RGB	R 47	G 51	B 55		
HEX	#2f333	37			

		ICED CHOCOL	ATE	
CMYK	55 C	70 M	67 Y	60 K
PMS	TBD			
RGB	R 67	G 45	B 43	
HEX	#4d3	3533		

		KITE BLUE		
CMYK	87 C	38 M	15 Y	15 K
PMS	TBD			
RGB	R O	G 115	B 156	
HEX	#0073	39c		

		CHILI RED		
CMYK	9 C	100 M	97 Y	15 K
PMS	Panto	one® 186 C		
RGB	R 191	G 26	B 34	
HEX	#bf1	a22		

		VELVET SILVER			
CMYK	5 C	10 M	17 Y	65 K	
PMS	Pant	Pantone® 611 C			
RGB	R 112	2 G 106	B 100		
HEX	#70 <del>0</del>	5a64			

ROOFTOP GRAY						
CMYK	0 C	0 M	0 Y	15 K		
PMS	TBD					
RGB	R 220	G 221	B 222			
HEX	#dcd	dde				

<sup>\*</sup>Only available on Clubman Hampton package.

<sup>\*\*</sup>Exclusive MINI YOURS colors.

# **EXTERIOR CAR COLOR FORMULAS FOR R60 AND R61 FOR MY13**

	O G			
CMYK	100 C	45 M	85 Y	75 K
PMS	Pantone	® 5467 C		
RGB	R 28	G 54	B 50	
HEX	#1c363	2		

		LIGHT COFFEE		
CMYK	60 C	62 M	65 Y	35 K
PMS	Pantone® 411 C			
RGB	R 93	G 79	B 75	
HEX	#5d4	f4b		

STARLIGHT BLUE (PACEMAN ONLY)					
CMYK	100 C	85 M	0 Y	10 K	
PMS	TBD				
RGB	R 20	G 63	B 144		
HEX	#21428	3 <b>d</b>			

		RYSTAL SILVER		
CMYK	12 C	5 M	5 Y	25 K
PMS	Pantor	ie® Cool Gra	ay 5	
RGB	R 178	G 180	B 179	
HEX	#b2b4	b3		

		BRILLIANT COPPER		
CMYK	25 C	85 M	100 Y	15 K
PMS	TBD			
RGB	R 169	9 G 66	B 36	
HEX	#a94	1225		



		ROYAL GRAY		
CMYK	20 C	15 M	21 Y	75 K
PMS	Pantone® Black 7			
RGB	R 54	G 53	B 52	
HEX	#363	5534		

TRUE BLUE					
CMYK	100 C	61 M	0 Y	24 K	
PMS	Pantone <sup>6</sup>	® 2955 C			
RGB	R O	G 60	B 105		
HEX	#003c69	)			

	BLAZING RED				
CMYK	0 C	97 M	92 Y	0 K	
PMS	TBD				
RGB	R 238	G 41	B 45		
HEX	#ee2	92d			

LIGHT WHITE					
CMYK	3 C	2 M	2 Y	10 K	
PMS	Panto	Pantone® 427 C			
RGB	R 209	G 212	B 211		
HEX	#d1d	4d3			

ABSOLUTE BLACK						
CMYK	87 C	74 M	63 Y	95 K		
PMS	Panton	Pantone® 419 C				
RGB	R 28	G 30	B 28			
HEX	#1c1e	1c				

# **EXTERIOR CAR COLOR FORMULAS FOR MINI NEXT**

		YPER LUE		
CMYK	100 C	60 M	0 Y	0 K
PMS	Pantone	® 2727 C		
RGB	R O	G 102	B 179	
HEX	#0066c	С		

		OXYGEN BLUE		
CMYK	90 C	50 M	37 Y	0 K
PMS	Panto	ne® 7470 C		
RGB	R 20	G 115	B 142	
HEX	#1473	38e		

		LAGUNA GREEN**		
CMYK	80 C	40 M	60 Y	15 K
PMS	N/A			
RGB	R 57	G 114	B 104	
HEX	#397	7268		



NIGHTFIRE RED					
CMYK	10 C	100 M	90 Y	50 K	
PMS	Pantor	ne® 188 C			
RGB	R 128	G 4	B 16		
HEX	#8004	110			

		PU RE				
CMYK	7 C		100 M	100 Y	7 K	
PMS	Panto	one®	1795 C			
RGB	R 20	5	G 32	B 44		
HEX	#cd2	202c				

	SI B			
CMYK	100 C	60 M	0 Y	60 K
PMS	Pantone	® 295 C		
RGB	R O	G 46	B 94	
HEX	#002e5	e		

BRITISH RACING GREEN					
CMYK	93 C	33 M	82 Y	51 K	
PMS	Panto	ne® 3435 C			
RGB	R O	G 77	B 51		
HEX	#0040	d33			

		HOT CHOCOLA	ATE .	
CMYK	54 C	75 M	80 Y	50 K
PMS	Pantor	ne® 476 C		
RGB	R 80	G 50	B 39	
HEX	#5032	227		

		HORIZON BLUE		
CMYK	96 C	77 M	40 Y	30 K
PMS	Panto	ne® 7546 C		
RGB	R 26	G 60	B 92	
HEX	#1a3	c5c		

INTERCHANGE YELLOW						
CMYK	16 C	13 M	87 Y	16 K		
PMS	Panto	one® 611 C				
RGB	R 189	R 189 G 176 B 59				
HEX #bdb03b						
* not available on Clubman						


		RIGHT ELLOW		
CMYK	11 C	3 M	63 Y	10 K
PMS	Panton	e® 617 C		
RGB	R 198	G 191	B 112	
HEX	#c6bf7	0		

		MELLOW YELLOW		
CMYK	3 C	27 M	100 Y	2 K
PMS	Panto	ne® 124 C		
RGB	R 239	G 183	B 23	
HEX				

CMYK	100 C	27 M	0 Y	25 K	
PMS	Pantone® 3015 C				
RGB	R O	G 112	B 169		
HEX	#0070	Da9			

SURF BLUE					
CMYK	100 C	68 M	39 Y	23 K	
PMS	Pantone® 302 C				
RGB	R O	G 65	B 101		
HEX	#00416	5			

## MINI DESIGN COLORS



## **EMAIL COMMUNICATIONS**

- > Use 10 or 11 point Arial font in black for the body of the email (the standard font on all machines; MINI font may appear differently on other computers)
- > The signature information should be 10 point Arial font in black, line spacing should be 11 points
- > Include a MINI-provided signature graphic
- > E-mail sign-off recommendations before the signature section are: "Let's Motor.®", "Cheers", or "Best regards"
- > Format your signature as follows, the left is for MINI Corporate and the right is for MINI dealers:
  - -- (two dashes)

#### MINI USA (MINI and the name of the division)

First Name Last Name

Sample Department

Sample function

300 Chestnut Ridge Road (street)

Woodcliff Lake, NJ 07677 (city, state, zip)

O. 201.307.4000 (office phone)

M. 212.555.5555 (mobile phone, if needed)

F. 212.555.5555 (fax number, f needed)

E. JOHN.DOE@MINIUSA.COM (all caps)

W. MINIUSA.COM

V. MINI Cooper S Countryman ALL4 aka "Barry" (vehicle name/nickname)



-- (two dashes)

#### **DEALER NAME**

First Name Last Name

Sample Department

Sample function

Street

City, State, zip code

O. 212.555.5555 (office phone)

M. 212.555.5555 (mobile phone, if needed)

F. 212.555.5555 (fax number, f needed)

E. ANYDEALER@MINIDEALER.COM (all caps)

V. List vehicle name along with its nickname (see sample on the left)

Insert email signature graphic and hyperlink to MINIUSA.COM or dealer website (do not alter size of graphics provided, see sample on the left)

## **BUSINESS CARDS**

- > New, personalized MINI business cards are now available as 4-color and sized 1.25" x 3.5"
- > Order your custom business cards by clicking on this link: http://www.bmwbusinesscards.com
- > Login details are below:
- > MINI Dealers: select 'dealers' and enter the password 'Central'. Be sure to have your credit card to place the order.
- > MINI corporate team members: select 'corporate', enter the password 'Central'. Be sure to have your WBS and GL numbers to place your order.



## **RESOURCES**

### **BSSP SITE AND LOGIN INFOR: U.S.-CORRECT IMAGERY**

URL: https://portal.bssp.com/MINI/templates/login.html

Username: MINIcarlibrary

Password: 1t1sMOTOR1ng!

(#1s instead of capital Is and an exclamation point at the end)

#### **FTP: MINI LOGOS**

URL: https://fileshare.bssp.com

Username: minilogos

Password: IBM9pf

#### **AG MEDIA POOL: OTHER ASSETS**

URL: https://mediapool.bmwgroup.com

\*Note: login required

#### **DEALER NET: ADDITIONAL MARKETING RESOURCES INCLUDING ASSETS**

URL: https://bmwcenternet.com

\*Note: login required

# MININOMENCLATURE SEPTEMBER 2013



## 6-speed automatic transmission 6-way seats **3-year/36,000-mile No Cost Maintenance standard** (Use when compound w/ an adj.) 3-yr/ 36,000-mile No Cost Maintenance standard (Use if needed to save on space/ for digital banners) No Cost Maintenance comes standard for 3 years/36,000 miles whichever comes first (the hyphens are dropped) **Advanced Head Protection System (AHPSII)** aerodynamic kit (not "Aero Kit") airbag (spell out number: six airbags) air-conditioned glovebox ALL4 (ALL4 all-wheel drive system, only for Countryman or Paceman models) all-new (hyphenate when compound adjective) **Alloy Patina trim** alloy wheels **All-Season Traction Control (ASC) Automatic Stability Control + Traction (ASC+T)** all-season tires **Anti-lock Braking System (ABS)** anti-theft alarm system anti-theft features automaker

6-speaker CD system with speed-compensating volume

**6-speed Getrag manual transmission** 



armrest

aux-in

automatic climate control

NUMBERS

2-part center rail

backseat
Battery Safety Terminal
belt force (but hyphenated as a compound adjective: belt-force limiters)
bonnet
bonnet stripes (not "strips")
boot
bootgating
body-colored bumpers
body-colored side mirrors
Boot to Bonnet No Cost Maintenance (is official program name, other variations that are ok are: Full Maintenance program, MINI No Cost Maintenance plan, MINI No Cost Maintenance
Program and No Cost Maintenance)
brakeforce (note initial capped in Electronic Brakeforce Distribution)

Certified Pre-Owned MINI (note initial cap on "Owned" for style)
chrome-line interior (same for exterior)
Clubdoor
Coded Driveaway Protection
coinholder(s)
code name
Combo #1 - Premium
Combo #2 - Sport
Combo #3 - Cold Weather
Comfort Access keyless entry
Comfort Access system



Continuously Variable Automatic Transmission (CVT)
Co-op
Cooper (DO NOT USE – see MINI Cooper)
Cooper S (DO NOT USE – see MINI Cooper S)
C-pillars
copilot
Corner Brake Control (CBC)
cross-check upholstery (e.g., cloth/leather cross-check upholstery)
Cross Spoke Challenge wheels
crumple zones
crush tubes
cupholder(s)

dealer principal
digital sound processing
Digital Sound Processor
door handle
door-mirror caps
driveshaft (see equal-length driveshafts)
drivetrain
drive-by-wire throttle



droptop
dual-pane panoramic sunroof
Dynamic Music
Dynamic Stability Control (DSC)
Dynamic Traction Control (DTC) (replaced DSC in second-generation MINI)

# E Electronic Differential Lock Control (EDLC) e-commerce Electronic Brakeforce Distribution (EBD) electro-hydraulic, power-assisted steering e-mail entry strips (not "stripes") EPA estimated (don't hyphenate, even as compound adjective) equal-length driveshafts

F
50/50 split fold-down rear seats
five-speed manual transmission
floor mats
fog lights



```
footrests
footwell
four-cylinder
four-wheel vented anti-lock disc brakes
front end
front airbags
front-seat shoulder room
front-wheel drive
fuel-efficient (and fuel-efficiency)
G
gearshift
gills
Global Positioning System (GPS)
glovebox
go-kart (not "go-cart")
gray (not "grey")
greenhouse
grille
```



```
handbrake
Harman Kardon (company name)
harman/kardon® sound system (product name)
Harte-Hanks
hatchback
headlight
heated windshield-washer jets
high-performance engineering
headlamp power wash
hood scoop
horsepower (or HP, but don't hyphenate as compound adjective: 208 HP engine)
home page
Internet
intercooler
Internet address: MINIUSA.COM
John Cooper Works
John Cooper Works black leather (upholstery; not "John Cooper Works leather black")
```



```
Kelley Blue Book (not "Kelly Blue Book")
key fob
Kite Blue metallic (color name in initial caps; "metallic" set in lowercase)
leather-wrapped steering wheel
legroom
Let's Motor.<sup>®</sup> (a registered trademark)
Lounge leather (e.g., comes with Lounge leather upholstery)
lumbar
MacPherson struts
metallic (color name in initial caps; "metallic" set in lowercase)
micro-filter
Mini (when referring to the generation prior to 2002; the classic Mini)
MINI (the plural of MINI is also MINI, never "MINIs"; possessive form is MINI's)
MINI Cooper
MINI Cooper S
MINI Connected technology
MINI Connected with Navigation
MINI Dealer (the "d" in dealer should be capitalized when following MINI. Left
lowercase when not. For any type of CTA, please do not replace dealer with dealership,
it should be "FIND A DEALER")
MINI Motorer (the "m" in motorer should be capitalized when following MINI. Left
lowercase when not.)
MINI Motoring Advisor
MINI MOTORINGGEAR or MotoringGear
```



```
MINI Owner (certain words should be capitalized when they follow MINI, such as the "d" in
Dealer & the "o" in Owner. If dealer or owner do not follow MINI, they should stay lowercase.)
MINI Takes the States, [City Name]
MINI Next<sup>TM</sup>
MINI Next<sup>™</sup> Certified Pre-Owned program
MINI Passenger Cars
Model names (they come last: MINI Cooper S Clubman, not "MINI Clubman Cooper S")
Model Year 2002
MINI Select
Monte Carlo Rallye
Morris Minor
motor (always use motor or motors, not drive or drives)
motorer (See note about capitalizing the m when following MINI)
Motoring Advisor
motorsport
Motor-Tober®
MPG
MPH
multi-link rear suspension
Net
```



```
NOT NORMAL (set in all caps)
0
on-board computer
on-board navigation system
online (if reference is to the Internet)
open-air motoring
Owners' Lounge (note apostrophe placement for plural possessive—it belongs to all the owners)
Park Distance Control
Park Distance Control (rear)
piston-cooling jets
pit stop (but "pitstop" in reference to MINI LINK iPhone app)
powerband
power folding mirrors (not "powerfold mirrors")
powerplant
pretensioners
Punch (e.g., Punch leather upholstery)
Q
rain-sensing windshield wipers
record-setting
```



```
rear end
rear fog lamp
rearview mirror
Roadside Assistance Program
road-going
roll bars
Road & Track
road racing (types: endurance road racing, Sollo II road racing, Pro Rally road racing, sprint road racing)
Rocklike Anthracite (a MINI color; not "Rockline")
RPM
run-flat tires
Satellite Gray (a MINI color; not "Grey")
S-curve
SCCA
safety belts (not "seat belts")
safety-belt pretensioners
seat cover
seat-mounted side-impact airbags
Service Interval Indicator
Shockwave
```



showroom

```
side-impact airbags
SiriusXM<sup>®</sup> Satellite Radio with 1-year subscription
silver trim
single-wipe control wipers
space-saver spare tire
speed-sensitive wipers
soft-top
Southampton (the dealership; often misspelled with additional "h")
Split Rear Barn Doors (refers to MINI Clubman boot)
Spoke (always capped in wheel description: V-Spoke or 8-Spoke)
sport button
sport leather steering wheel
sport seats (not "sports seats")
sport suspension
Sport Suspension Plus
stabilizer bars
STEPTRONIC transmission (set first word in small caps)
subwoofer
sunshade
supercharger
supercharged
```



Taillight
takedown (e.g., the MINI Test Drive Takedown)
tenet (e.g., MINI brand tenet, not "tenant")
test drive
tire-pressure monitor
toll-free
torque (lb-ft)
torque steer
traction control
transverse-mounted four-cylinder engine
turbocharger
turbocharged
turn-signal indicator
turn-signal stalk
two-seater (refers to Coupe and Roadster)

U ultra-rigid ultrawide Union Jack universal garage door opener U.S. (with periods)



```
V
valvetrain
Vehicle & Key Memory
Web
webcast
webcard
Web stuff (default simply to MINIUSA.COM whenever possible)
website
wheelslip
wheelspin
white turn-signal lights
wide bulldog stance
windshield-washer jets
Win Small (initial cap campaign name)
World Wide Web
xenon headlights
You-ification
```



Z